### Welcome to the AccessibilityOnline Webinar Series

A collaborative program between the ADA National Network and the US Access Board

The Session is Scheduled to begin at 2:30pm Eastern Time

We will be testing sound quality periodically

Audio and Visual are provided through the on-line webinar system. This session is closed captioned.

Individuals may also listen via telephone by dialing 712-432-3100 code 930098 # (This is **not** a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded under award ##133A060097 from the U.S. Department of Education through the auspices of the National Institute on Disability and Rehabilitation Research (NIDRR) and an inter-agency agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org

4





#### **Webinar Features**

- Closed captioning click CC icon (top of screen) or control-F8 and adjust your screen
- Questions type and submit questions in the Chat Area Text box or press control-M and enter text in the Chat Area
- Please do not use emoticons or hand-raising features during this session

2



#### **Presenters**





**Peggy Greenwell** 

**Paul Beatty** 

UNITED STATES ACCESS BOARD



### Accessible Marinas and Boating Facilities

**Session Agenda** 

- ADA and ABA Standards (facilities covered)
- Newly constructed vs. existing marinas
- Other related provisions
- Boating facility provisions
- Alterations
- Questions

4

#### **Americans with Disabilities Act**

#### Title II covers:

 State and Local government Facilities



5

#### Americans with Disabilities Act

Title III covers:

- Commercial Facilities
- Places of Public Accommodation
- Non-Profit as well as For-Profit



#### **Architectural Barriers Act**

Covers:

- Facilities that are designed, constructed, altered, or leased by, or on behalf of the United States.
- Facilities receiving certain types of Federal Financial assistance.




7

### New Standards Under the ADA & ABA

8

# Updated Accessibility Guidelines and Standards 2010 ADA Accessibility Standard 2004 ADA-ABA Accessibility Guidelines ADAAG UFAS UNITED STATES ACCESS BOARD 9

## Updated ADA and ABA Guidelines (2004)



10

#### **DOJ's Revised ADA Rule (Regulations)**

- Nondiscrimination policies
- 2010 Standards
  - New construction and Alterations
  - Additional design requirements
- Application of 2010 Standards to Existing facilities



11

## DOJ's ADA Standards (2010) ADA Approaching Excepting Chapters (13-2) Excluding ABA Chapters 1 & 2 (pp. 72 – 140)

#### **New Construction**

13

#### **New ADA Standards**

DOJ's 2010 standards (mandatory March 15, 2012)



alteration





Based on the Board's ADA-ABA Guidelines (2004)

UNITED STATES ACCESS BOARD

14

### Architectural Barriers Act Accessibility Standards

(Federal facilities)

- Similar standards in effect for all federally funded facilities (except housing)
- Effective May 8, 2006 (February 6, 2007 for leased facilities) for new construction



#### **Locating Provisions**

- · Table of Contents
- ADA Application and Scoping
  - ADA Chapter 1: Application and Administration
  - ADA Chapter 2: Scoping Requirements
- · ABA Application and Scoping
  - ABA Chapter 1: Application and Administration
  - ABA Chapter 2: Scoping Requirements
- · Technical Chapters
  - Chapter 3: Building Blocks
  - Chapter 4: Accessible Routes
  - Chapter 5: General Site and Building Elements
  - Chapter 6: Plumbing Elements and Facilities
  - Chapter 7: Communication Elements and Features
  - Chapter 8: Special Rooms, Spaces and Elements
  - Chapter 9: Built-In Elements
  - Chapter 10: Recreation Facilities

16

#### **Existing Facilities**

17

#### What Standards Apply to Existing ADA Facilities?

- Title II Program accessibility
- Title III Readily achievable barrier removal

For more information, contact DOJ @ 800 514-0301

#### **Safe Harbor – Existing Facilities**

 Elements that comply with 1991 Standards do not need to be modified to meet the 2010 Standards unless those elements are altered on or after March 15, 2012.

Safe Harbor does not apply to elements in existing facilities that <u>were not</u> subject to specific requirements in the 1991 Standards

For more information, contact DOJ @ 800 514-0301

19

#### Elements in 2010 Standards Not Subject to Safe Harbor

- (A) Residential facilities and dwelling units
- (B) Amusement rides
- (C) Recreational boating facilities
- (D)Exercise machines and equipment
- (E) Fishing piers and platforms
- (F) Golf facilities
- (G) Miniature golf facilities (H) Play areas
- (I) Saunas and steam rooms
- (J) Swimming pools, wading pools, and spas
- (K) Shooting facilities with firing positions,
- (L) Miscellaneous.
- (1) Team or player seating
- (2) Accessible route to bowling
- (3) Accessible route in court

sports facilities

For more information, contact DOJ @ 800 514-0301


20

## Other Facility Provisions


PARKING, TOILET AND BATHING ROOMS, RETAIL SPACES, LOCKER ROOMS, MARINA OFFICE, RESTURANTS, BARS, AND OTHER SPACES AND ELEMENTS




## Exterior Accessible Routes UNITED STATES ACCESS BOARD 23













## Water Closet Clearance No longer permitted under new standards









#### Recreational Boating Facilities Section 235

- Number of boat slips required to be accessible (based on the number of slips provided)
- Dispersion of accessible boat slips throughout the various types provided
- Number of boarding piers at boat launch ramps required to be accessible.

34

### **Technical Provisions Section 1003**

- Fixed and floating facilities
- Accessible routes
- Gangways
- Accessible boat slips
- Boarding piers at boat launch ramps



UNITED STATES ACCESS BOARD

35

#### **How Guidelines Apply**



UNITED STATES ACCESS BOARD



#### **Floating Boating Facilities**



UNITED STATES ACCESS BOARD

38

#### Gangways



UNITED STATES ACCESS BOARD

#### **Gangway Slope**


- Gangway slope connecting floating facilities
  - Design for 1:12 maximum slope OR provide at least an 80 foot gangway



UNITED STATES ACCESS BOARD

40

#### **Gangways Connecting Accessible Boat Slips**



UNITED STATES ACCESS BOARD


#### **Gangway – Small Facilities**


Less than 25 boat slips, the slope of the gangway may exceed 1:12 (8:33%), if the gangway is at least 30 feet long



UNITED STATES ACCESS BOARD

## Gangway - Rise Whited states access board 43





# Gangway – Handrail Extensions UNITED STATES ACCESS BOARD 48

## Gangway – Width 36 inches minimum

UNITED STATES ACCESS BOARD

Cross Slope – Gangways, Transition Plates, and Floating Piers





1:50 maximum measured in the static position

UNITED STATES ACCESS BOARD

48

#### **Fixed Ramps on Floating Facilities**

Follow accessible route requirements - maximum 1:12 slope, landings every 30 feet, edge protection, handrails, etc.



UNITED STATES ACCESS BOARD

49

### Route Leading to Accessible Boat Slips



UNITED STATES ACCESS BOARD

50

#### **Use of Elevators and Platform Lifts**



UNITED STATES ACCESS BOARD



#### **Boat Slips**

- Number of accessible boat slips
- Uses modified vehicle parking table

| Boat Slips | Minimum | Provided | Accessible | 1-25 | 2 | 26-50 | 2 | 251-100 | 3 | 101-150 | 4 | 151-300 | 5 | 301-400 | 6 | 401-500 | 7 | 501-600 | 8 | 601-700 | 9 | 701-800 | 11 | 901-1000 | 12 | 1001 and cver | \* \*12 + { for each 100 or fraction thereof | 125-100 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 100

UNITED STATES ACCESS BOARD


53

#### **Boat Slips**



UNITED STATES ACCESS BOARD

#### **Accessible Boat Slips**




- Accessible boat slip 60 inches width of clear pier space
- Where obstructed, at least one opening of 60 inches in width every 10 feet
- Edge protection permitted

UNITED STATES ACCESS BOARD

55

#### **Transfer Methods**








UNITED STATES ACCESS BOARD


56


### Accessible Boat Slips – Clear Space Reduction






UNITED STATES ACCESS BOARD







#### Accessible Boat Slips – Identification


#### No requirement for identification

- Not reserved in the same way as accessible vehicle parking spaces
- Make information regarding accessible boat slips available in promotional material or a facility guide
- Contact DOJ on operational issues

UNITED STATES ACCESS BOARD

61

#### Accessible Boat Slips – Edge Protection



- Edge protection is not required
- If provided at opening...
- 4 inches high maximum and 2 inches deep maximum at the continuous clear openings

UNITED STATES ACCESS BOARD

62

Accessible Boat Slips – Hose Bibbs, Water Supply Hoses, Outlets for Electric, Cable, etc.





UNITED STATES ACCESS BOARD

#### Accessible Boat Slips – Cleats and Other Securement Devices



Not required to be located within reach ranges

UNITED STATES ACCESS BOARD

64

#### **Boarding Piers at Launch Ramps**

- Where gangways connect
  - Design for 1:12 OR provide at least a 30 foot gangway
- Accessible route within boat launch ramp – maximum slope does not apply



UNITED STATES ACCESS BOARD

65

#### Boarding Piers at Boat Launch Ramps - Clearances



- Entire length of the boarding pier must be 60 inches wide minimum
- Every 10 feet maximum of pier edge must have at least one clear opening 60 inches in length

UNITED STATES ACCESS BOARD

#### Launch Ramps without Boarding Piers



UNITED STATES ACCESS BOARD


Alterations to **Existing Facilities** 

68

67

#### What's Considered an Alteration?

- Examples of alterations
  - Redesigning boat slips
  - Replacement of floating docks
  - Re-surfacing parking lot
- Painting, re-roofing, and general maintenance activities are not considered an alteration



UNITED STATES ACCESS BOARD

## Requirements for Alterations • Follow accessibility standards new construction • "Technically infeasible" • "What you touch - you fix" • Alterations to "primary function areas" carry additional obligation

70

UNITED STATES ACCESS BOARD

# Requirements for Alterations — Path of Travel Obligations • Where alteration is made to "primary function area" • Area altered must be done in compliance with standards along with an accessible "path of travel" to the altered area • 20% disproportionate rule UNITED STATES ACCESS BOARD 71

## Gangway – Alteration • Where an existing gangway is replaced or altered, an increase in the length is not required (unless required by path of travel obligations)



# Technical Assistance Material \*\*Coccessible flashing place\*\* \*\*Decessible boating facilities\*\* \*\*Decessible boating fa





#### **U.S. Access Board**

(800) 872-2253 (voice) (800) 993-2822 (TTY)

E-mail: ta@access-board.gov www.access-board.gov

76

### Thank you for participating in today's webinar





Next scheduled session:

"ACCESSIBLE SCHOOLS"

December 1, 2011

www.AccessibilityOnline.org

877-232-1990 (V/TTY)