

Welcome to the AccessibilityOnline Webinar Series



A collaborative program between the
ADA National Network and the
US Access Board

The Session is Scheduled to begin at 2:30pm Eastern Time
We will be testing sound quality periodically



Audio and Visual are provided through the on-line webinar system. This session is closed captioned. Individuals may also listen via telephone by dialing 712-432-3100 code 930098 # (This is not a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded through a contract agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org

1



Webinar Features



- **Closed captioning** – click **CC** icon (top of screen) or control-F8 and adjust the captioning screen as needed
- **Customize your view** – choose “View” from the menu bar at the top of the screen and choose the layout you prefer from the dropdown menu.
- **Questions** - type and submit questions in the Chat Area Text box or press control-M and enter text in the Chat Area
- **Emotions/Hand-raising:** Please do not use these features during this session

2

Presenter



Bill Botten

UNITED STATES ACCESS BOARD

3

 **Session Agenda**

- Application of 2010 ADA Standards and ABA Accessibility Standards (new construction, alterations, and existing facilities)
- Other facility related provisions
- Miniature golf provisions
- Questions and Answers



UNITED STATES ACCESS BOARD 4

Americans with Disabilities Act

Title II covers:

- State and local government facilities



5

Americans with Disabilities Act

Title III covers:

- Commercial facilities
- Places of public accommodation
- Non-Profit as well as for-profit



6

Architectural Barriers Act

Covers:

- facilities that are designed, constructed, altered, or leased by, or on behalf of the United States.
- facilities receiving certain types of Federal Financial assistance.



7

Architectural Barriers Act Accessibility Standards (Federal facilities)


- Similar standards in effect for all federally funded facilities (except housing)
- Effective May 8, 2006 (February 6, 2007 for leased facilities) for new construction and alteration
- Effective October 31, 2008 for Department of Defense facilities

8

New Construction and Alterations

9


ADA Standards (2010)
Mandatory March 15, 2012



2010 ADA Standards
for Accessible Design

Department of Justice
Regulation 11917

Use of earlier standards no longer allowed



1991 Standards

Code of Federal Regulations
28 CFR 37.101-37.106

2010 ADA Standards for Accessible Design

Effective Date

Applies to date:


- building permit/ permit extension application is certified as complete (or is submitted where completion not certified)

OR

- start of physical construction or alteration (where no permit required and title II entities)

UNITED STATES ACCESS BOARD 11

2010 ADA Standards



Americans with Disabilities Act
and Architectural Barriers Act
Accessibility Guidelines
July 23, 2004

UNITED STATES ACCESS BOARD
A NATIONAL AGENCY COMMITTED TO ACCESSIBLE DESIGN

Same as the Board's
ADA-ABA Guidelines (2004)
... plus requirements
DOJ added

12

Alterations to Existing Facilities

- Provisions apply to the planned scope of work
- Path of travel requirements apply to work on the course



UNITED STATES ACCESS BOARD

13

Alterations

Technical Infeasibility

- Determined case-by-case
- Based on existing constraints/conditions and scope of work
- Compliance required to the *maximum extent feasible*

UNITED STATES ACCESS BOARD

14

Existing facilities

15

Safe Harbor – Existing Facilities

- Elements that comply with 1991 Standards do not need to be modified to meet the 2010 Standards unless those elements are altered on or after March 15, 2012.

Safe Harbor does not apply to elements in existing facilities that were not subject to specific requirements in the 1991 Standards

For more information, contact DOJ @ 800 514-0301

16

Elements in 2010 Standards Not Subject to Safe Harbor

- | | |
|---|---|
| (A) Residential facilities and dwelling units | (I) Saunas and steam rooms |
| (B) Amusement rides | (J) Swimming pools, wading pools, and spas |
| (C) Recreational boating facilities | (K) Shooting facilities with firing positions, |
| (D) Exercise machines and equipment | (L) Miscellaneous. |
| (E) Fishing piers and platforms | (1) Team or player seating |
| (F) Golf facilities | (2) Accessible route to bowling lanes |
| (G) Miniature golf facilities | (3) Accessible route in court sports facilities |
| (H) Play areas | |

For more information, contact DOJ @ 800 514-0301

17

Miniature golf facility elements

INCLUDED IN THE 1991 STANDARD

- Parking
- Facility entrances
- Toilet facilities
- Food counters
- Retail spaces

NOT INCLUDED IN THE 1991 STANDARD

- Accessible routes on the course
- Miniature golf holes
- Start of play areas
- Golf club reach range

18

What Standards Apply to Existing ADA Facilities?

- Title II — Program accessibility
- Title III — Readily achievable barrier removal

*For more information, contact DOJ @ 800
514-0301*

19

Tax Incentives for Improving Accessibility



- Section 44 of IRS Code
- Tax credit - maximum credit \$5,000
- Tax deduction – maximum \$15,000

UNITED STATES ACCESS BOARD

20

Locating provisions

Table of Contents

ADA Application and Scoping

ADA Chapter 1: Application and Administration

ADA Chapter 2: Scoping Requirements

ABA Application and Scoping

ABA Chapter 1: Application and Administration

ABA Chapter 2: Scoping Requirements

Technical Chapters

Chapter 3: Building Blocks

Chapter 4: Accessible Routes

Chapter 5: General Site and Building Elements

Chapter 6: Plumbing Elements and Facilities

Chapter 7: Communication Elements and Features

Chapter 8: Special Rooms, Spaces and Elements

Chapter 9: Built-in Elements

Chapter 10: Recreation Facilities

21

Other facility provisions

**PARKING, TOILET FACILITIES, RETAIL SPACES,
 FOOD COUNTERS, DRINKING FOUNTAINS,
 AND OTHER SPACES AND ELEMENTS**

22

Accessible Vehicle Parking

- Marking of access aisles
- Angled vans spaces (aisle on passenger side)
- Sign height (60" min.)



UNITED STATES ACCESS BOARD

23

Parking

Scoping applies to each parking facility

Total Number of Parking Spaces	Min. Number of Accessible Spaces
1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1000	2 percent of total
1001 and over	20, plus 1 for each 100, or fraction thereof, over 1000

24

Parking

Van Spaces: 1 of 6 accessible spaces




25

Parking

Van Spaces

Additional 3' width can be added to aisle or space



26

Passenger Loading Zones



At least 1 for every 100 linear ft. of loading zone space provided

27

Passenger Loading Zones

- Aisles - same level as pull-up space
- Aisles to be marked
- No level changes in space or aisle

28

Doors and Gates

Clearances (Forward Approach)

Push Side:
12" min. strike side clearance
if door has both closer & latch

Pull Side:
18" min. strike side clearance

29


Reach Ranges

Side reach range reduced:
48" – 15"
(same as forward reach)

30


Surfaces

changes in level: 1/4" max (vertical)



1/4 max

1/2" max (beveled)



1/4 1/2 1 2 1/4

31

Surfaces


must be: firm, stable, "slip-resistant"



Loose materials generally not compliant
(unless properly treated)

32


Knee/Toe Clearances





Specified in Chapter 3
for all elements
(e.g., lavs, sinks,
counters, tables, etc.)

Depth: 17" – 25"


33







Interior Accessible Routes



UNITED STATES ACCESS BOARD

37

Ramps

- Slope -1:12 max.
- Cross slope – 1:48 max.
- Clear width – 36" min.
- Rise – 30" max.
- Level landings
- Handrails (both sides)
- Edge protection



UNITED STATES ACCESS BOARD

38

Handrails

Ramps, stairs, and walkways

- knuckle clearance: 1 ½" min. (not absolute)
- diameter: 1 ¼" – 2" (not 1 ½" max.)
- applies to outer diameter (clarification)




39

Drinking Fountains

Where provided -- exterior site, floor, or secured area


- 2 required (wheelchair & standing access)
- Alternative: single unit with dual access (e.g., "hi-lo" units)
- Multiple installations: 50% of each type (rounded up or down)



UNITED STATES ACCESS BOARD 40

Drinking Fountains


- Forward approach - all wheelchair units
- Clear floor space to be "centered"
- Height for standard units: 38 – 43 inches



UNITED STATES ACCESS BOARD 41

Toilet Rooms

Allows space for side transfers



42

Water Closet Clearance


Lavatory overlap no longer permitted



43


Water Closets

Original ADAAG (fig. 28) permitted overlap



44

Toilet Rooms



- fixtures can be recessed
- shorter (24" min.) rear grab bar allowed in this case

45

Toilet Rooms

- Range for toilet centerline
- lavatory cannot overlap toilet clearance.

46

Toilet Rooms

Door man. clearance; swing outside fixture clearances


47

Toilet Rooms

Doors can swing into fixture clearances if clear floor space (30" x 48" min.) provided outside swing

48

Toilet Rooms



Turning space can overlap fixture & door clearances;
door can swing into turning space

49

Lavatories & Sinks




Hand-operated metering faucets shall remain open for 10 seconds minimum

50

Signs

- Tactile/ visual – labels for permanent rooms & spaces, exit doors
- Visual only – directional or informational signs
- Exempt: temporary signs, building menus, directories, addresses, company names and logos



51

Visual Signs

- “conventional form”
- character proportion & spacing
- character height based on viewing distance
- location (40” min. height)
- stroke thickness
- line spacing
- finish & contrast

UNITED STATES ACCESS BOARD

52

Character Style

New standards specify “conventional form”

Prohibited:

Italic Oblique script

highly decorative

or other unusual forms

53

Telephones

- volume controls on all phones
- volume control – to 20 dB (12 dB intermediate step)
- automatic reset
- wheelchair access (at least 1 per floor/level, bank, exterior site)



UNITED STATES ACCESS BOARD

54

Sales & Service Counters

227 Scoping

- Counters – 1 of each type
- Cash register not factor

904.4 Technical

- Accessible part same depth
- Parallel or forward approach
- No alternatives
- Security glazing – voice communication



UNITED STATES ACCESS BOARD

55

ATMs & Fare Machines

Access to 1 of each type at each location

- speech output
- privacy
- input controls
- display screen
- Braille instructions (for speech mode)



56

Recreation Facilities



UNITED STATES ACCESS BOARD

57

Miniature golf facility provisions (239 & 1007)



58

Miniature golf course configuration

- 50% of holes required to be accessible and consecutive
- Exception permits one break, provided the last hole is included



59

Miniature golf course configuration

- If only 50% of holes are accessible and consecutive.
- AR can not travel back through completed holes.




60

Miniature golf

- Accessible route may be provided on the playing surface or adjacent to



61




UNITED STATES ACCESS BOARD

62

Start of Play Areas

- The clear floor or ground space area at the start of play for each accessible hole must be 48 by 60 inches minimum slope no steeper than 1:48




- The accessible route and the clear space can overlap

UNITED STATES ACCESS BOARD

63

Accessible route on the playing surface

Exception from complying with 302.2 for carpet.




UNITED STATES ACCESS BOARD 64

Accessible route on playing surface

EXCEPTIONS:

Slopes not steeper than 1:4 for a 4 inch maximum rise are permitted.




UNITED STATES ACCESS BOARD 65

Accessible route on playing surface

EXCEPTIONS:

Ramp landing slopes specified by 405.7.1 are permitted to be 1:20 maximum.




UNITED STATES ACCESS BOARD 66

Accessible route on playing surface

EXCEPTIONS:

Ramp landing length specified by 405.7.3 are permitted to be 48 inches long min.

Ramps that change directions landing size specified by 405.7.4 are permitted to be 48 inches minimum by 60 inches min.



UNITED STATES ACCESS BOARD


67

Accessible route on playing surface

EXCEPTIONS:

Handrails are not required on holes.

Where handrails are provided on holes, not required to comply with 505.



UNITED STATES ACCESS BOARD

68

Accessible route on the course

Where accessible routes intersect playing surfaces of holes, a 1 inch max curb permitted for a width of 32 inches min.




UNITED STATES ACCESS BOARD

69

Accessible route adjacent to the playing surface

AR serving holes on miniature golf courses comply with Chapter 4.

- Cross slope – 1:48
- Change in level
- Clear width
- Doors and gates
- Ramps



UNITED STATES ACCESS BOARD

70


Accessible route adjacent to the playing surface

- Adjacent to the playing surface
- Compliant accessible route



71

Golf club reach range



*Note: 1:20 maximum slope

Fig. 63
Golf Club Reach Range



EXAMPLES OF GOLF CLUB REACH RANGES ON PLAYING SURFACE

UNITED STATES ACCESS BOARD

72

Technical Assistance Material



<http://www.access-board.gov/indexes/pubsindex.htm>

Questions?

You May Type and Submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area

74

Where to direct questions

	
U.S. Department of Justice	U.S. Access Board
<ul style="list-style-type: none">• Implementing regulation and additional requirements• Requirements for existing facilities – title II & III	<ul style="list-style-type: none">• 2010 Accessibility Standards for new construction and alterations
(800) 514-0301 (voice) (800) 514-0383 (TTY) www.ada.gov	(800) 872-2253 (voice) (800) 993-2822 (TTY) (202) 272-0081 (FAX) ta@access-board.gov www.access-board.gov

75

**Thank you for participating
in today's webinar**



**Next scheduled session:
"Accessible Kitchens and Kitchenettes"
July 5, 2012**

www.AccessibilityOnline.org

877-232-1990 (V/TTY)

76
