

Welcome to the AccessibilityOnline Webinar Series



A collaborative program between the
ADA National Network and the
U.S. Access Board



The Session is Scheduled to begin at 2:30pm Eastern Time
We will be testing sound quality periodically

Audio and Visual are provided through the on-line webinar system. This session is closed captioned. Individuals may also listen via telephone by dialing 1-712-432-3100 code 930098 (This is **not** a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded through a contract agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org



Listening to the Webinar



- ▶ The audio for today's webinar is being broadcast through your computer. Please make sure your speakers are turned on or your headphones are plugged in.
- ▶ You can control the audio broadcast via the Audio & Video panel. You can adjust the sound by "sliding" the sound bar left or right.
- ▶ If you are having sound quality problems check your audio controls by going through the Audio Wizard which is accessed by selecting the microphone icon on the Audio & Video panel



2



Listening to the Webinar, *continued*

If you do not have sound capabilities on your computer or prefer to listen by phone, dial:

1-712-432-3100

Pass Code:
930098

This is **not** a Toll Free number

3



Listening to the Webinar, *continued*

MOBILE Users (iPhone, iPad, or Android device and Kindle Fire HD)

Individuals may listen** to the session using the Blackboard Collaborate Mobile App (Available Free from the Apple Store, Google Play or Amazon)




**Closed Captioning is not visible via the Mobile App and limited accessibility for screen reader/Voiceover users

4



Captioning

- ▶ Real-time captioning is provided during this webinar.
- ▶ The caption screen can be accessed by choosing the  icon in the Audio & Video panel. ↓




- ▶ Once selected you will have the option to resize the captioning window, change the font size and save the transcript.

5



Submitting Questions

- ▶ You may type and submit questions in the Chat Area Text Box or press **Control-M** and enter text in the Chat Area
- ▶ If you are connected via a mobile device you may submit questions in the chat area within the App
- ▶ If you are listening by phone and not logged in to the webinar, you may ask questions by emailing them to webinars@accessibilityonline.org




Please note: This webinar is being recorded and can be accessed on the AccessibilityOnline website at www.accessibilityonline.org/Archives within 24 hours after the conclusion of the session.

6



Customize Your View


- ▶ Resize the Whiteboard where the Presentation slides are shown to make it smaller or larger by choosing from the drop down menu located above and to the left of the whiteboard. The default is “fit page”



7



Customize Your View *continued*

- ▶ Resize/Reposition the Chat, Participant and Audio & Video panels by “detaching” and using your mouse to reposition or “stretch/shrink”. Each panel may be detached using the  icon in the upper right corner of each panel.

8



Technical Assistance



- If you experience any technical difficulties during the webinar:
1. Send a private chat message to the host by double clicking "Great Lakes ADA" in the participant list. A tab titled "Great Lakes ADA" will appear in the chat panel. Type your comment in the text box and "enter" (Keyboard - F6, Arrow up or down to locate "Great Lakes ADA" and select to send a message); or
 2. Email webinars@accessibilityonline.org ; or
 3. Call 877-232-1990 (V/TTY)

9

Accessible Transportation Facilities

10

Presenters



Melissa Anderson
U.S. Access Board



Scott Windley
U.S. Access Board

11

Session Agenda

- **Introduction**
- **General Access to the Facility**
- **Unique Provisions**
- **Additions in DOT Standards**
- **Q & A**

12

Transportation Facilities

All publicly owned modes and means of transporting people and goods, including the physical facilities... including, but not limited to... aviation facilities, port facilities, rail facilities, public transportation facilities...




13

Transportation Facilities



14

NEW ADA Standards



DOT's 2006 standards

15

Chapters 1 and 2

Application and Administration

101 – Purpose

102 – Dimensions for Adults and Children

103 – Equivalent Facilitation

104 – Conventions

105 – Referenced Standards

106 – Definitions

201 – Application

All areas of newly designed/ constructed facilities to comply, unless indicated

16

Transportation Facilities (218)

- Bus Shelters
- Rail Stations
- Key Stations and Existing Intercity Stations
- Other Facilities (e.g., airports)

17

Accessible Routes (206)

Scoping for routes, route elements, & where required:

- Route Elements
 - entrances
 - doors
 - elevators
 - platform lifts
 - security barriers
- Where Required
 - Site arrival points
 - within sites
 - between stories
 - (elevator exceptions)
 - space and elements
 - specific spaces
 - (e.g., restaurants & cafeterias, performance areas, press boxes, employee work areas)



18



206.3 Accessible Routes

Elements such as ramps, elevators, or other circulation devices, fare vending or other ticketing areas, and fare collection areas shall be placed to minimize the distance which wheelchair users and other persons who cannot negotiate steps may have to travel compared to the general public.



19

Passenger Loading Zones (209)

Minimum of 1 accessible loading zone for every 100 linear feet of loading zone



20

Drinking Fountains (211)

Where provided on an exterior site or floor,

- 2 required: wheelchair accessible & standing access
- alternative: single unit with dual access
- multiple installations: 50% of each type



21

Toilet & Bathing Facilities (213)

- Scoping for rooms & elements
- Toilet rooms clustered at 1 location: 50% scoping
- Unisex toilet rooms
- Urinals - access required where more than 1 provided



22

Signs (216)

- Tactile, Braille and visual – labels for permanent rooms & spaces, exit doors
- visual – directional and/or informational signs
- exempt: temporary signs, building menus, directories, addresses, company names and logos, bus schedules

23

Signs (216)

Specific provisions for ISA:

- means of egress
- parking
- entrances
- elevators
- toilet and bathing rooms
- TTYs
- check-out aisles



24

Telephones – TTYs (217)

Scoping based on pay phones provided:

- Banks of phones, Floors, Buildings, and exterior sites

Additional scoping for:

- rest stops, emergency roadside stops, service plazas
- hospitals
- transportation facilities
- detention and correctional facilities



25

Assistive Listening Systems (219)

Required where:

- audible communication = integral to use of the space and audio amplification is provided (different for courtrooms)
- No longer based on fixed seating or occupant load



26

ATMs & Fare Machines (220)

Access to at least 1 of each type at each location



27

ATMs & Fare Machines (220)



Access to at least 1 of each type at each location

28

Storage (225)


- Lockers (5%)
- Self-service shelving
- Self-service storage spaces:
 - 5% (up to 200)
 - 2% (over 200)



29

Sales & Service Counters (227)

- Sale counters
- Service counters
- Check-out aisles
- Food service lines
- Queues
- Waiting lines



30

Two-Way Communication Systems (230)


- applies where provided
- audible and visual signals



31

Building Blocks (Chapter 3)

- Floor or Ground Surfaces
- Changes in Level
- Turning Space
- Clear Floor / Ground Space
- Knee and Toe Clearance
- Protruding Objects
- Reach Ranges
- Operable Parts



32

Accessible Routes (Chapter 4)


- Accessible Routes
- Walking Surfaces
- Doors, Doorways, Gates
- Ramps
- Curb Ramps
- Elevators
- LULA Elevators
- Private Residence Elevators
- Platform Lifts



33

Curb Ramps (406)

Detectable Warnings – DOT added section 406.8
Which requires 2ft or full depth;
Domes must comply with 705



34



406.8 Detectable Warnings



Detectable Warnings on curb ramps on transportation facility sites

35


General Site & Building Elements (Chapter 5)

- **Parking**
- **Passenger Loading Zones**
- **Stairways**
- **Handrails**

36

Parking (502)


- sign height (60" min.)
- marking of access aisles to discourage parking in it



37

Passenger Loading Zones (503)

- aisles - same level as pull-up space
- aisles to be marked
- no level changes in space or aisle



38

Plumbing Elements & Facilities (Chapter 6)

- **Drinking Fountains**
- **Toilet & Bathing Rooms**
- **Water Closets & Toilet Compartments**
- **Urinals**
- **Lavatories & Sinks**
- **Bathtubs**
- **Shower Compartments**
- **Grab Bars**
- **Seats**
- **Washing Machines & Clothes Dryers**
- **Saunas & Steam Rooms**

39

Communication Elements & Features (Chapter 7)

- **Fire Alarm Systems**
- **Signs**
- **Telephones**
- **Detectable Warnings**
- **Assistive Listening Systems**
- **ATMs & Fare Machines**
- **Two-Way Communication Systems**

40

Visual Characters (703.5)

- Of conventional form
- character proportion, height, & spacing
- location (40" min. height)
- stroke thickness
- line spacing
- finish & contrast

41

Visual Characters (703.5)



Height of sign based on viewing distance

42

Visual Characters (703.5)


Height of sign based on viewing distance

Sign must contrast light on dark or dark on light



43

Pictograms (703.6) ISAs (703.7)



44

Detectable Warnings (705)

- greater range of designs & products allowed
- dome diameter (range)
- spacing (range)
- color contrast



45

ATMs & Fare Machines (707)

- Height of controls
 - The change to the side reach to 48 inches
- Speech output
- User controls
- Input features
 - Numeric keys
 - Braille
 - Instructions



46

Special Rooms, Spaces & Elements (Chapter 8)

- assembly areas
- dressing, fitting, and locker rooms
- kitchens and kitchenettes
- medical care and long-term care
- transient lodging
- prison cells
- courtrooms
- dwelling units
- transportation facilities
- storage



47

Transportation Facilities (810)


- Bus Boarding and Alighting Areas (810.2)
- Bus Shelters (810.3)
- Bus Signs (810.4)
- Rail Platforms (810.5)
- Rail Station Signs (810.6)
- Public Address Systems (810.7)
- Clocks (810.8)
- Escalators (810.9)
- Track Crossings (810.10)



48

Bus Boarding and Alighting Areas (810.2)

- Clear space: 96"x60"
- 2% max slope perpendicular to road; can match slope of road parallel



49

Bus Boarding and Alighting Areas (810.2)



50



Dimensions (810.2.2)


- Public entities shall ensure that the construction of bus boarding and alighting areas comply with 810.2.2, to the extent the construction specifications are within their control



51

Bus Shelters (810.3)

- Space for wheelchair entirely within shelter
- Accessible route connection to boarding/alighting area



Bus Shelters (810.3)

- Accessible route must connect:
 - the space in the shelter
 - the boarding & alighting area
 - sidewalk or street



53

Bus Shelters (810.3)

- This shelter leaves a person stranded



54

Bus Signs (810.4)

- Must comply with the requirements of visual characters found in 703



55

Bus Signs (810.4)

- Schedules, timetables and maps not required to comply with 703



56

Rail Platforms (810.5)

- 2% max slope except on existing street or track
- Detectable warnings along boarding area
- Level boarding is covered in DOT regulations
- Platform / vehicle complies with vehicle regulations (36 CFR Part 1192)
- Low-level platform 8 inches min above top of rail unless on street or from sidewalk

57

Rail Platforms (810.5)

- 2% max slope except on existing street or track



58

Rail Platforms (810.5)

- Detectable warnings along platform boarding edge



59

Rail Platforms (810.5)

- Platform/vehicle complies with vehicle regulations (36 CFR Part 1192)



60

Rail Platforms (810.5)

- Platform 8" min above top of rail unless on street or from sidewalk



61



Rail Platforms (810.5.3)

- In light rail, commuter rail, and intercity rail systems where it is not operationally or structurally feasible to meet the horizontal gap or vertical difference requirements of part 1192 or 49 CFR part 38, mini-high platforms, car-borne or platform-mounted lifts, ramps or bridge plates or similarly manually deployed devices, meeting the requirements of 49 CFR part 38, shall suffice.



62

Rail Station Signs (810.6)

- Signs shall not be required to comply with 810.6.1 and 810.6.2 where audible signs are remotely transmitted to hand-held receivers, or are user- or proximity-actuated.
- Entrances, platform, station names, routes on the platform: comply with 703.5



63

Public Address Systems (810.7)


- When audible, visual must be provided.



64

Clocks (810.8)

Easily seen; uncluttered



65

Escalators (810.9)

- Comply with ASME A17.1



66

Track Crossings (810.10)

- Circulation paths serving boarding platforms that crosses tracks, must meet section 402.
- Flange way gap



67

Built-In Elements (Chapter 9)

- Dining & Work Surfaces
- Benches
- Check-Out Aisles & Service Counters



68

DOT Specific Additions review

- **Location of Accessible Routes (206.3)**
- **Detectable Warnings on Curb Ramps (406.8)**
- **Bus Boarding and Alighting Areas (810.2.2)**
- **Rail Station Platforms (810.5.3)**



69

Questions?

**You may type and submit questions in the
Chat Area Text Box or press Control-M
and enter text in the
Chat Area**

70



U.S. Access Board

(800) 872-2253 (voice)

(800) 993-2822 (TTY)

E-mail: ta@access-board.gov

www.access-board.gov

71

**Thank you for participating
in today's webinar**



Next session:

Open Question and Answer

September 05, 2013

2:30 - 4:00 (ET)

www.accessibilityonline.org

(877) 232-1990 (v/TTY)

72