Welcome to the AccessibilityOnline Webinar Series



A collaborative program between the ADA National Network and the U.S. Access Board



The Session is Scheduled to begin at 2:30pm Eastern Time
We will be testing sound quality periodically

Audio and Visual are provided through the on-line webinar system. This session is closed captioned. Individuals may also listen via telephone by dialing 1-712-432-3100 code 930098 (This is not a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded through a contract agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org

1



Listening to the Webinar



- ➤ The audio for today's webinar is being broadcast through your computer. Please make sure your speakers are turned on or your headphones are plugged in.
- You can control the audio broadcast via the Audio & Video panel. You can adjust the sound by "sliding" the sound bar left or right.
- If you are having sound quality problems check your audio controls by going through the Audio Wizard which is accessed by selecting the microphone icon on the Audio & Video panel







Listening to the Webinar, continued

If you do not have sound capabilities on your computer or prefer to listen by phone, dial:

1-712-432-3100

Pass Code: 930098

This is **not** a Toll Free number

3

Listening to the Webinar, continued



MOBILE Users (iPhone, iPad, or Android device and Kindle Fire HD)

Individuals may listen** to the session using the Blackboard Collaborate Mobile App (Available Free from the Apple Store, Google Play or Amazon)



**Closed Captioning is not visible via the Mobile App and limited accessibility for screen reader/Voiceover users

AccessibilityOnline Series Accessible Routes on Sites February 6, 2014





Captioning

- Real-time captioning is provided during this webinar.
- ➤ The caption screen can be accessed by choosing the icon in the Audio & Video panel.

Once selected you will have the option to resize the captioning window, change the font size and save the transcript.

5



Submitting Questions



- You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area
- If you are connected via a mobile device you may submit questions in the chat area within the App
- If you are listening by phone and not logged in to the webinar, you may ask questions by emailing them to webinars@accessibilityonline.org



Please note: This webinar is being recorded and can be accessed on the AccessibilityOnline website at www.accessibilityonline.org/Archives within 24 hours after the conclusion of the session.





Customize Your View

Resize the Whiteboard where the Presentation slides are shown to make it smaller or larger by choosing from the drop down menu located above and to the left of the whiteboard. The default is "fit page"

New Page Delete Page Ft Page ▼ -■ 25% 50% 75% 100% 150% 200% 300%

7



Customize Your View continued



➤ Resize/Reposition the Chat, Participant and Audio & Video panels by "detaching" and using your mouse to reposition or "stretch/shrink". Each panel may be detached using the icon in the upper right corner of each panel.



Technical Assistance



- If you experience any technical difficulties during the webinar:
 - Send a private chat message to the host by double clicking "Great Lakes ADA" in the participant list. A tab titled "Great Lakes ADA" will appear in the chat panel. Type your comment in the text box and "enter" (Keyboard - F6, Arrow up or down to locate "Great Lakes ADA" and select to send a message); or
 - 2. Email webinars@accessibilityonline.org; or
 - 3. Call 877-232-1990 (V/TTY)



Accessible Routes on Sites

Session Agenda

- Site Arrival Points
- Within Sites
- Recreation Facilities
- Entrances
- Technical Requirements

11

ADA & ABA Standards

ADA Standards:


- places of public accommodation

- commercial facilities
- state & local government facilities




Architectural Barriers Act (ABA) Standards:

Federally funded facilities



Site Arrival Points

Connection to public streets & sidewalks - may require coordination with local jurisdictions.



Board developing guidelines for public rights-of-way.

Public Rights-of-Way

New guidelines will address:

- Sidewalks and street crossings
- "Pedestrian access routes"
- Shared-use paths
- Medians and traffic islands
- On-street parking
- Pedestrian signals
- Street furniture and other elements



15

Site Arrival Points

AR not required where only means of access is vehicular way not providing pedestrian access (§206.2.1 & §206.2.2)



Parking Spaces (§208)


AR must connect to access aisles at accessible parking spaces



Recommended: connect AR to front of aisle to prevent travel behind parked cars

ARs & Vehicular Ways

ARs that cross vehicular ways are not required by the standards to be marked



Passenger & Bus Loading Zones (§209)

AR must serve accessible passenger loading zones and bus loading zones



19

Public Transportation Stops (§209 & 218)

AR must connect bus boarding/alighting areas to sidewalks and streets and to bus shelters.



Alterations (§202)

AR from site arrival points required when:

- Circulation paths altered or added
- Alterations made to area containing a primary function (required "accessible path of travel")

21


Alterations (§202.3)

Altered spaces and elements, including circulation paths, required to comply.

Exception where meeting the standards is "technically infeasible" (e.g., existing physical or site constraints prohibit full compliance).

Path of Travel (§202.4)

Example path of travel



Path of Travel

Accessible Path of travel is required to the extent that it is not "disproportionate" to the project cost (more than 20%)

Compliance required up to the 20% limit

AR Within Sites (§206.2.2)


At least one AR must connect on the same site accessible:

- buildings & facilities
- elements
- spaces

25

Entrances (§206.4)


Each accessible entrance must be on an AR



Entrances


Access to at least 60% of public entrances, in addition to:

- each direct access from parking structures
- direct access from tunnels or elevated walkways
- at least one entrance to each tenancy
- different fixed routes in transit facilities & direct connections
- restricted & secured entrances (at least 1)





Landings must accommodate door man. clearances



Recommended: locate door swing outside ramp landing

Recommended: locate clearances away from stair openings/drop-offs

20

Entrances

Exterior Doors: Automation Recommended






Required at GSA buildings (Public Building Service Standards)

Security Check Points(206.8)

Security screening devices cannot obstruct AR.




AR can bypass metal detectors and other devices that cannot comply - equivalent level of visual contact with personal items required.

Accessible Routes



If circulation path is interior,


AR must be interior



Press Boxes (§206.2.7)

Exempt if 500 sq ft or less (aggregate) and


- Located on bleachers entered on 1 level
- or elevated 12' or more (free standing)





Press Boxes

Square footage applies to the gross floor area (including exterior) of all press boxes serving a playing field or other assembly area



35


Recreation Facilities

- Amusement Rides
- Recreational Boating Facilities
- Fishing Piers & Platforms
- Golf Facilities
- Miniature Golf Facilities
- Sports Facilities
- Play Areas

Amusement Rides (§202.2.9)


AR must serve:

- Load & unload areas for every ride
- Wheelchair spaces, ride seats designed for transfer, transfer devices
- Including rides not required to have access features (e.g., rides for small children, rides without seats or that are controlled/operated by the rider)



Boating Facilities (§202.2.10)


AR must serve accessible boat slips & boarding piers at boat launch ramps



Boating Facilities

Exceptions for gangways (§1003.2.):


- Not required to exceed 80' steeper slope allowed (30' at facilities with < 25 boat slips)
- No limit on rise
- Gangways that connect to transition plates landings, handrail extensions not req'd
- Alterations to existing gangways




Miniature Golf (§202.2.16)

- AR must connect accessible holes (50% min., consecutive)
- AR from last compliant hole to course entrance/ exit without travel through other holes








Court Sports (§202.2.12)

At least one AR must directly connect both sides of the court



45

Fishing Piers & Platforms (§202.2.14)

AR required to connect fishing piers & platforms, including floating piers (exceptions for gangways)



Golf Facilities (§202.2.15)

At least one AR <u>or golf car passage</u> must connect accessible elements & spaces within boundary of golf course

Must serve: golf car rental areas, bag drop areas, weather shelters, toilet rooms, practice putting greens & teeing grounds, teeing stations at driving ranges



Play Areas (§202.2.17)

At least one AR must connect to accessible:

- Ground level play components
- Elevated play components (50% min.)
- Soft contained play structures



49

Play Areas

AR & other accessible surfaces must meet ASTM standards for:

- accessibility (ASTM F 1951)
- impact attenuation (ASTM F 1292) within use zones



Outdoor Developed Areas (ABA)

New guidelines for outdoor areas developed by Federal agencies address:

- Trails
- Picnic & camping areas
- Viewing areas
- Outdoor recreation access routes
- Beach access routes



51

Technical Requirements

Ground/ Floor Surfaces (§302)

must be firm, stable, "slip-resistant"



Loose materials generally not compliant (unless properly treated)

53

Ground/ Floor Surfaces

Rough surfaces (e.g, cobblestones) make wheelchair travel difficult and uncomfortable.



Recommended: Avoid materials or construction methods that create bumpy and uneven surfaces

Ground/ Floor Surfaces

 Slip-resistance: specific value (coefficient of friction) not specified




- Carpet
- Openings (prevent passage of ½ diameter sphere; elongated = perpendicular to dominant travel direction)

Changes in Level (§303)

1/4" max (vertical)



1/2" max (beveled)



> 1/2": ramp or curb ramp

AR Components (§402)


- walking surfaces (403)
- doors, doorways, gates (404)
- ramps and curb ramps (405 & 406)
- elevators (407 409)
- platform lifts (410)



57

Walking Surfaces (§403)

- Clear width
- Passing Space
- Running Slope 1:20 max.
- Cross Slope 1:48 max.
- Changes in level
- Surfaces
- Handrails



Ramps (§405)

• slope: 1:12 max.

• cross slope: 1:48 max.


• clear width: 36" min.


• rise: 30" max.

• level landings

• handrails (both sides)


edge protection





Curb Ramps (§406)

Sufficient space (36" deep min) required at top of curb ramps




Curb ramps cannot protrude into access aisle

61


Curb Ramps

Required space at top allows easier maneuvering to and from ramp run



Curb Ramps


Alterations: exception where space at top is unavailable (1:12 max. side flares)



63


Curb Ramps

Parallel ramps provide option where space is limited



Curb Ramps

Curb ramps with returned sides must have a top landing in all cases



65

Detectable Warnings

Required on curb ramps at:

- Transit facilities (§406.8, DOT standards)
- FHWY funded projects
- Other public sidewalks (recommended new ROW guidelines to address)

(Also required on boarding platform edges)






Not required on curb ramps at:

• Facilities (non-transit) located on sites

Detectable Warnings

- Full width of the curb ramp (excluding side flares)
- 24" deep min. measured from the back of the (can extend full depth of ramp)



67

Platform Lifts (§206.7)

In new construction, permitted where existing exterior site constraints/ topography make ramp or elevator infeasible

Example: new building constructed between/
connected to two existing buildings - insufficient
space to coordinate floor levels or to provide
ramped entry from the public way

Platform Lifts

Also permitted to provide access to:

- performance areas/ speakers' platforms
- wheelchair spaces in assembly areas
- incidental spaces
- judicial spaces
- amusement ride load/unload areas
- team/player seating
- boating facilities, fishing piers & platforms
- play areas
- levels in guest rooms & residential dwelling units

Questions?

You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area or send by email to webinars@accessibilityonline.org



U.S. Access Board

(800) 872-2253 (voice) (800) 993-2822 (TTY)

E-mail: ta@access-board.gov www.access-board.gov

71

Thank you for participating in today's webinar





Next session:

"Open Questions and Answers"

March 6th

www.accessibilityonline.org

(877) 232-1990 (v/TTY)