

Welcome to the AccessibilityOnline Webinar Series



A collaborative program between the
ADA National Network and the
U.S. Access Board



The Session is Scheduled to begin at 2:30pm Eastern Time
We will be testing sound quality periodically

Audio and Visual are provided through the on-line webinar system. This session is closed captioned. Individuals may also listen via telephone by dialing 1-712-432-3100 code 930098 (This is **not** a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded through a contract agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org



Listening to the Webinar



- The audio for today's webinar is being broadcast through your computer. Please make sure your speakers are turned on or your headphones are plugged in.
- You can control the audio broadcast via the Audio & Video panel. You can adjust the sound by "sliding" the sound bar left or right.
- If you are having sound quality problems check your audio controls by going through the Audio Wizard which is accessed by selecting the microphone icon on the Audio & Video panel



2



Listening to the Webinar, *continued*

If you do not have sound capabilities on your computer or prefer to listen by phone, dial:

1-712-432-3100

**Pass Code:
930098**

This is **not** a Toll Free number

3



Listening to the Webinar, *continued*

MOBILE Users (iPhone, iPad, or Android device and Kindle Fire HD)

Individuals may listen** to the session using the Blackboard Collaborate Mobile App (Available Free from the Apple Store, Google Play or Amazon)



**Closed Captioning is not visible via the Mobile App and limited accessibility for screen reader/Voiceover users

4



Captioning

- Real-time captioning is provided during this webinar.
- The caption screen can be accessed by choosing the  icon in the Audio & Video panel. ↓



- Once selected you will have the option to resize the captioning window, change the font size and save the transcript.

5



Submitting Questions

- **You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area**
- **If you are connected via a mobile device you may submit questions in the chat area within the App**
- **If you are listening by phone and not logged in to the webinar, you may ask questions by emailing them to webinars@accessibilityonline.org**




Please note: This webinar is being recorded and can be accessed on the AccessibilityOnline website at www.accessibilityonline.org/Archives within 24 hours after the conclusion of the session.

6



Customize Your View

- Resize the Whiteboard where the Presentation slides are shown to make it smaller or larger by choosing from the drop down menu located above and to the left of the whiteboard. The default is “fit page”



7



Customize Your View *continued*

- Resize/Reposition the Chat, Participant and Audio & Video panels by “detaching” and using your mouse to reposition or “stretch/shrink”. Each panel may be detached using the  icon in the upper right corner of each panel.

8

Setting Preferences

- Depending on your system settings you may receive visual and audible notifications when individuals enter/leave the webinar room or when other actions are taken by participants. This can be distracting.
- To turn off notifications (audible/visual)
 - Select “Edit” from the tool bar at the top of your screen
 - From the drop down menu select “Preferences”
 - Scroll down to “General”
 - select “Audible Notifications” Uncheck anything you don’t want to receive and “apply”
 - Select “Visual Notifications” Uncheck anything you don’t want to receive and “apply”
 - For Screen Reader User – Set preferences through the setting options within the Activity Window (Ctrl+slash opens the activity window)

9



Technical Assistance



- If you experience any technical difficulties during the webinar:
 1. Send a private chat message to the host by double clicking “Great Lakes ADA” in the participant list. A tab titled “Great Lakes ADA” will appear in the chat panel. Type your comment in the text box and “enter” (Keyboard - F6, Arrow up or down to locate “Great Lakes ADA” and select to send a message); or
 2. Email webinars@accessibilityonline.org ; or
 3. Call 877-232-1990 (V/TTY)

10

Accessible Dining Surfaces and Bars

Presenters

Angelo Amador
Senior Vice President
and Regulatory Counsel,
National Restaurant
Association

Teresa Jakubowski
Partner
Barnes & Thornburg LLP,
counsel to the National
Restaurant Association

Shannon Meade
Director, Labor and
Workforce Policy,
National Restaurant
Association

Rex Pace
Technical Assistance
Coordinator,
U.S. Access Board

12

Agenda

- **Standards**
 - **Application**
 - **Scope**
 - **Dining Surface Types**
- **Practice**
 - **Ensuring Access**
 - **Maintaining Features**

13



National Restaurant Association

Our industry is comprised of over one million foodservice outlets employing about ten percent of the U.S. workforce.

Small businesses dominate the industry; even larger chains are often collections of smaller franchised businesses.

The Association is the largest foodservice trade association in the world, advocating on behalf of the industry before the legislative and executive branches of the states and the federal government.



Restaurant Law Center

The Restaurant Law Center's is the voice of our industry in legal matters before federal and state courts.

The Law Center also helps educate restaurants through educational sessions and the preparation of guidance documents.

The Law Center also serves as a medium for communication between the different legal offices of companies in the restaurant industry.

14

Americans with Disabilities Act: Toolkit for Restaurant Operators

- The Association partnered with Teresa Jakubowski, in the Washington, D.C., office of Barnes & Thornburg, to produce a toolkit to help our members comply with the ADA accessibility standards.
- Ms. Jakubowski chairs the firm's Accessibility and Disability Law Practice and is a member of the firm's Labor and Employment Department.
- She continues to work with the Association to help educate our membership on all ADA requirements and we have asked her to present on our behalf.

15

Standards

16

Accessibility Standards

- **2010 ADA Standard for Accessible Design – required by titles II and III of the ADA**
- **Architectural Barriers Act (ABA) Standards – required by the regulations and directives of the USPS, GSA, and DOD**

17

Significant Differences between ABA and ADA Standards

- **Modifications and Waivers**
- **Outdoor Developed Areas on Federal Lands**

18

1991 ADA Standards

Section 5: Restaurants and Cafeterias

5.1 General

5.2 Counters and Bars

5.3 Access Aisles


5.4 Dining Areas

5.5 Food Service Lines

5.6 Tableware and Condiment Areas

5.7 Raised Platforms

5.8 Vending Machines and Other Equipment



19


2010 ADA Standards

Scoping:

§ 226 Dining Surfaces and Work Surfaces (F226 in ABA)

Chapter 9: Built-in Elements

§ 902 Dining Surfaces and Work Surfaces



20

Overview of Accessible Route Requirements

21


Accessible Route Scope

§ 206.2.5 Restaurants and Cafeterias

“an accessible route shall be provided to all dining areas, including raised or sunken dining areas, and outdoor dining areas”

22

Accessible Route Scope



**accessible
route to all
dining areas**

23

Accessible Route Scope

Exceptions:

- Mezzanine dining areas
- Existing raised or sunken dining areas in alterations
- Tiered dining areas in sports facilities

24

Accessible Route Scope

§ 206.2.5 Restaurants and Cafeterias

EXCEPTION 1:


when access not required between stories,
accessible route is not required to a mezzanine
dining area if it contains less than 25% of the
total combined area for seating and dining

AND

where the same decor and services are
provided in the accessible area

25

Accessible Dining Surfaces



located on an accessible route

26

Accessible Dining Surfaces: Application

27

Accessible Dining Surfaces



**Fixed and
Built-in**

OR



**Furniture
(movable)**

28

Fixed/Built-in vs. Movable Furniture and Equipment

**§ 35.151 (d) and
§ 36.406 (b)**

Scope of coverage

“2010 Standards apply to fixed or built-in elements of buildings, structures, site improvements, and pedestrian routes or vehicular ways located on a site.”



29

Furniture – Regulatory Obligations Under the ADA


“The provision of accessible equipment and furniture has always been required by the ADA and the Department’s implementing regulations under the program accessibility, reasonable modification, auxiliary aids and services, and barrier removal requirements.”

www.ada.gov 800-514-0301

From DOJ’s Advance Notice of Proposed Rulemaking on Equipment and Furniture
www.ada.gov/anprm2010/equipment_anprm_2010.htm

30

IBC Codes



Section 1108.2

Applies to dining surfaces that are fixed AND movable

31

Accessible Dining Surfaces: Scope

32

Scoping


§ 226.1 General

Where provided for the consumption of food or drink, at least 5% of the seating spaces and standing spaces at the dining surfaces must comply with 902.

Example: 30 standing + 70 seated = 100 spaces (all fixed). 100 spaces x 5% = 5 accessible spaces.

33

Scoping



§ 226.2 Dispersion

“shall be dispersed throughout the space or facility containing dining surfaces”

34


§ 226.2 Dispersion



In different locations

35


Benches and Banquettes



movable tables and fixed seating

36

No Fixed Dining Surfaces Provided



Standards can
serve as a
guide for
furniture

37

Technical Requirements

§ 902 Dining Surfaces and Work Surfaces


§ 902.2 Clear Floor or Ground Space

§ 902.3 Height

§ 902.4 Dining Surfaces for
Children's Use

38

§ 902.2 Clear Floor or Ground Space



Forward Approach (§ 305)



39

§ 902.3 Height




40

Knee and Toe Space (§ 306)



41


Knee and Toe Space



Knee Space (8" deep min. where knee space required)

42

Knee and Toe Space



Required knee & toe space must be at least 17" deep

43


Knee and Toe Space



Additional depth must provide 27" min.
clearance for knees

44

Knee and Toe Space



Space beyond 25" depth is not usable

45

§ 902.4 Dining Surfaces for Children's Use

Knee and toe clearance –
24 inches min. height

Height – surface 26 inches min.
and 30 inches max.

Exception – if used primarily by
children 5 years and younger not
required to comply with § 902.4
where a clear floor space (§ 305)
for a parallel approach is provided




46

Dining Surface Types

47

Conventional Tables



application of technical
requirements
straightforward

48

Design Considerations



Pedestal and
post design
considerations



Cantilevered
tabletop

49


Design Considerations



corner legs and
side supports

50

Bars and Counters – Minimum Requirements



51


Counters and Bars

1991 Standards Section 5.2 Counters and Bars - requirement **NOT** in 2010 Standards

“Where food or drink is served at counters exceeding 34 in in height for consumption by customers seated on stools or standing at the counter, a portion of the main counter which is 60 in in length minimum shall be provided in compliance with 4.32

OR

service shall be available at accessible tables within the same area.”



52

Bars – Minimum Requirements



53

Integrated Bar Design




Bar Counter - Protruding Object



55

Protrusion Limits (§307.2)



56

High Top Tables



57


High Top Tables



large communal tables

58

Drink Rails



general use



at seating
location

59

Picnic Tables



under ADA covered as dining
surface – 5% accessible



60

Picnic Tables – Architectural Barriers Act (ABA)

- At least 20% of picnic units in picnic facility where two or more picnic units are provided
- Two or fewer = each accessible



Picnic facilities in Federal outdoor developed Areas

61

Picnic Tables – Architectural Barriers Act (ABA)

- One wheelchair space for each 24 linear feet of usable table
- Clear ground space around table



Picnic facilities in Federal outdoor developed areas

62

Equivalent Facilitation?



63

Equivalent Facilitation (§103)

“Nothing in these requirements prevents the use of designs, products, or technologies as alternatives to those prescribed, provided they result in substantially equivalent or greater *accessibility* and usability.”

64

Equivalent Facilitation (§103)

Advisory:

“The responsibility for demonstrating equivalent facilitation in the event of a challenge rests with the covered entity. With the exception of transit facilities, which are covered by regulations issued by the Department of Transportation, there is no process for certifying that an alternative design provides equivalent facilitation.”

65

ABA Modifications and Waivers

AUTHORIZED UNDER THE ABA

- Administrator of the General Services Administration
- Secretary of the Department of Housing and Urban Development
- Secretary of the Department of Defense
- United States Postal Service

“to modify or waive the accessibility standards for buildings and facilities covered by the Architectural Barriers Act on a case-by-case basis, upon application made by the head of the department, agency, or instrumentality of the United States concerned.”

66

Practice


General ADA Framework

- **Barrier Removal (title III):** Existing facilities must remove architectural barriers to access where such removal is “readily achievable.”
- **Alterations** must comply with the applicable design standards “to the maximum extent feasible.”
- **New Construction** must comply with the applicable design standards unless “structurally impracticable.”

68

Which Standards Apply?

- **Prior to September 15, 2010:**
The 1991 Standards.
- **After September 15, 2010 but before March 15, 2012:**
Choice between the 1991 Standards and the 2010 Standards.
- **On or after March 15, 2012:**
The 2010 Standards.



69

Safe Harbor

- Elements in existing facilities that comply with the 1991 Standards do not have to comply with the 2010 Standards unless altered on or after March 15, 2012.
- Elements comprising a path of travel that comply with the 1991 Standards are not required to be retrofitted to the 2010 Standards solely because the primary function area the path of travel serves is altered.
- Safe harbor does not apply to “new” (supplemental) standards, *i.e.*, those pertaining to elements not addressed in the 1991 Standards.

70

Design Strategies

- Start planning for access at the beginning
- Address the dining experience through choice of dining surfaces
- Attention to detail
- Coordinate between design professionals

71

Implementation

Attention and oversight during:

- Design development
- Specifications and product selection
- Installation



72

Ensuring Access

Maintaining accessible features:

- Movable furniture
- Upfits and change outs
- Staff education



73

Ensuring Access



design verses actual use

74

Discussion




Technical Guides on the Standards Available on the Board's website



16

Americans with Disabilities Act: Toolkit for Restaurant Operators



- Found at Restaurant.org/ADA
- Free to members
- Contains:
 - An overview of Title III of the ADA;
 - Specifics on the federal accessibility guidelines;
 - A checklist for restaurants to evaluate dining areas, self-service counters and children's play areas; and,
 - Guidance on regulations covering the use of service animals and mobility devices in restaurants.

77

Questions?

**You may type and submit questions in the
Chat Area Text Box or press Control-M
and enter text in the Chat Area**

**We express our appreciation
today for the use of images from:**

Evan Terry and Associates

(Slides 49 and 50)

and

The International Code Council

(Slides 31, 53, 54, 58, and 74)

79



Shannon L. Meade
Director, Government Affairs
National Restaurant Association
2055 L Street, NW
Washington, DC 20036
P: 202-331-5994 | M: 202-774-0484
Email: smeade@restaurant.org



Angelo I. Amador
Executive Director
Restaurant Law Center
2055 L Street, NW
Washington, DC 20036
P: 202-331-5913 | M: 202-492-5037
Email: aamador@restaurant.org



Teresa Jakubowski
Partner
Barnes & Thornburg LLP
1717 Pennsylvania Avenue NW, Suite 500
Washington, DC, 20006-4623
P: 202-371-6366 | M: 571-239-4337
Email: Teresa.Jakubowski@btlaw.com

80



Continuing Education



AIA Provider Number: I017

Course Title: Accessible Dining Surfaces and Bars

AIA Course Number: GL20170601

Date: June 1, 2017

Credits earned on completion of this course will be reported to **AIA CES** for AIA members. Certificates of Completion are available upon request.

This course is registered with **AIA**, for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the professional organizations of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product.

81



U.S. Access Board

(800) 872-2253 (voice)

(800) 993-2822 (TTY)

E-mail: ta@access-board.gov

www.access-board.gov

82

**Thank you for participating
in today's webinar**



Next session:

July 6, 2017

Accessible Courthouses (A Refresher)

www.accessibilityonline.org

(877) 232-1990 (v/TTY)

83