

Welcome to the AccessibilityOnline Webinar Series



A collaborative program between the
ADA National Network and the
U.S. Access Board



The Session is Scheduled to begin at 2:30pm Eastern Time
We will be testing sound quality periodically

Audio and Visual are provided through the on-line webinar system. This session is closed captioned. Individuals may also listen via telephone by dialing 1-712-432-6297 code 510110# (This is not a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded through a contract agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org

1



Listening to the Webinar



- The audio for today's webinar is being broadcast through your computer. Please make sure your speakers are turned on or your headphones are plugged in.
- You can control the audio broadcast via the Audio & Video panel. You can adjust the sound by "sliding" the sound bar left or right.
- If you are having sound quality problems check your audio controls by going through the Audio Wizard which is accessed by selecting the microphone icon on the Audio & Video panel



2



Listening to the Webinar, *continued*



If you do not have sound capabilities on your computer or prefer to listen by phone, dial:

1-712-432-6297

Pass Code:
510110#

This is **not** a Toll Free number

3

Listening to the Webinar, *continued*



MOBILE Users (iPhone, iPad, or Android device and Kindle Fire HD)

Individuals may listen** to the session using the Blackboard Collaborate Mobile App (Available Free from the Apple Store, Google Play or Amazon)



**Closed Captioning is not visible via the Mobile App and limited accessibility for screen reader/Voiceover users



Captioning



- Real-time captioning is provided during this webinar.
- The caption screen can be accessed by choosing the  icon in the Audio & Video panel.



- Once selected you will have the option to resize the captioning window, change the font size and save the transcript.

5



Submitting Questions



- You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area
- If you are connected via a mobile device you may submit questions in the chat area within the App
- If you are listening by phone and not logged in to the webinar, you may ask questions by emailing them to webinars@accessibilityonline.org



Please note: This webinar is being recorded and can be accessed on the AccessibilityOnline website at www.accessibilityonline.org/Archives within 24 hours after the conclusion of the session.


6



Customize Your View



- Resize the Whiteboard where the Presentation slides are shown to make it smaller or larger by choosing from the drop down menu located above and to the left of the whiteboard. The default is “fit page”



7



Customize Your View *continued*



- Resize/Reposition the Chat, Participant and Audio & Video panels by “detaching” and using your mouse to reposition or “stretch/shrink”. Each panel may be detached using the  icon in the upper right corner of each panel.

8

Setting Preferences

- Depending on your system settings you may receive visual and audible notifications when individuals enter/leave the webinar room or when other actions are taken by participants. This can be distracting.
- To turn off notifications (audible/visual)
 - Select “Edit” from the tool bar at the top of your screen
 - From the drop down menu select “Preferences”
 - Scroll down to “General”
 - select “Audible Notifications” Uncheck anything you don’t want to receive and “apply”
 - Select “Visual Notifications” Uncheck anything you don’t want to receive and “apply”
 - For Screen Reader User – Set preferences through the setting options within the Activity Window (Ctrl+slash opens the activity window)

9



Technical Assistance



- If you experience any technical difficulties during the webinar:
 1. Send a private chat message to the host by double clicking "Great Lakes ADA" in the participant list. A tab titled "Great Lakes ADA" will appear in the chat panel. Type your comment in the text box and "enter" (Keyboard - F6, Arrow up or down to locate "Great Lakes ADA" and select to send a message); or
 2. Email webinars@accessibilityonline.org ; or
 3. Call 877-232-1990 (V/TTY)

10

Question & Answer

Presenters:



Juliet Shultz



Dave Yanchulis

U.S. Access Board

11

Session Agenda

Questions & Answers on:

- ADA & ABA Standards
- MDE Standards
- Public Rights-of-Way
- Recreation Facilities

12

Temporary Facilities (§201.3)



13

Parking Spaces

Can two spaces share an access aisle?



14

Parking Spaces



Measured from centerline
of markings





Figure 502.2
Vehicle Parking Space

15

What are the options for preventing parked vehicles from intruding into the min. width of accessible routes?



16

Parking Spaces

“Parking spaces and access aisles shall be designed so that [parked vehicles] cannot obstruct the required clear width of adjacent accessible routes.” (§502.7)

17

Are electric vehicle (EV) charging stations required to comply?



18

EV Charging Stations


- Not addressed by ADA or ABA Standards
- Access is advisable (required by some states)
- Recommended: access to a “reasonable” number or apply parking table (§208.2)
- EV spaces can’t count toward the required number of accessible parking spaces

19

EV Charging Stations


Recommended:

- AR on both sides to charging station
- Space at least 10’ – 13’ wide
- Use ISA only where spaces reserved for access



20

When are detectable warnings required on curb ramps?




21

Detectable Warnings

Required:

curb ramps at public transportation facilities -
DOT's standards (§406.8)
(not other facilities)



Recommended:

Public sidewalks (new guidelines for
public rights-of-ways to address)



22

**Has there been any updates on how
the slip resistance of floor or
ground surfaces is specified?**



23

Floor & Ground Surfaces

- Must be “stable, firm and slip resistant” (§302.1)
- Min. level of slip resistance not specified - no consensus on measuring method
- Specify materials, textures, or finishes that prevent/ minimize slipperiness under the conditions likely to be found on the surface

24

**Which signs must be tactile
(i.e., raised & brailled)?**



25

Tactile Signs

Signs identifying “permanent” rooms & spaces:

- designations not likely to change over time (or without significant alteration of room/space)
- typically located at doorways



26

Tactile Signs (§216.2)

- room and floor numbers/letters
- room names
- labels for restrooms, locker rooms, cafeterias, libraries, conference rooms, mechanical rooms, and other permanent rooms/spaces
- doors at exit stairways, exit passageways, and exit discharge (label required) [§216.4]
- signs identifying rail stations/entrances [§810.6]

27

***Are alternatives to the ISA
(e.g., “dynamic” symbols) allowed?***



Accessible Icon Project

28

Inter. Symbol of Accessibility

**(maintained by the International
Organization for Standardization)**



Original ISA (1968)
reprinted in the ADA & ABA
Standards (§703.7.2.1)



Current ISA
(2007)

29

***Are self-service checkout devices
covered as sales/ service counters?***



30

Does providing unisex restrooms instead of men's & women's restrooms impact application of the standards?



31

Unisex Restrooms



Single user toilet rooms clustered in one location: half for each use must comply (§213.2., Ex. 4)

32


How do the standards apply in alterations?



33


Alterations (§202.3)

“Where existing elements or spaces are altered, each altered element or space shall comply with the applicable requirements...”



34

Alterations: Primary Function Areas (§202.4)



Required accessible path of travel

35

Can the accessible route connect to a vehicle way on the site instead of directly to a public street?

36

Standards for Medical Diagnostic Equipment (MDE)

37

MDE Standards

- Issued Jan. 2017 under the ACA
- Apply to exam tables/chairs, weight scales, radiological & mammography equipment, etc.
- Cover equipment by use position (standing, lying down, or seated) and whether mobility accommodated
- Voluntary unless adopted by an enforcing authority



38

MDE Standards

Do knee crutches satisfy the requirement for “leg supports” required at medical diagnostic equipment with stirrups?


The MDE standards require a means of “supporting, positioning, and securing” legs (M301.3.2, M305.4)

39

Public Rights-of-Way

40


On-Street Parking: Block Perimeter



- Number of accessible spaces is based on total marked or metered spaces on a block perimeter
- Scoping Section R214

41

On-Street Parking



- Angled (or perpendicular) on-street parking requires an 8ft wide min access aisle

42

Passenger Loading Zone




Figure 503.3
Passenger Loading Zone Access Aisle

43

Detectable Warnings in ROW

Required at

- Curb ramps
- Blended transitions
- Pedestrian refuge islands
- Pedestrian at-grade rail crossings
- Boarding platforms
- Boarding and alighting areas

44

Transition Segments



Transition segments shall comply with R302 to the maximum extent feasible (PROWAG - R202.3.2)

45

Sidewalk Drop-off



Use engineering judgement

46


Curb Ramp Length

- R304.2.2 and R304.3.2 Running Slope. ...The running slope of the curb ramp shall be 5 percent minimum and 8.3 percent maximum but shall not require the ramp length to exceed 4.5 m (15.0 ft.)



47

Public Rights-of-Way



48

Access Route Grade

- R302.5 Grade. ...where pedestrian access routes are contained within a street or highway right-of-way, the grade of pedestrian access routes shall not exceed the general grade established for the adjacent street or highway.



49

Handrails

- Are handrails required when the sidewalk exceeds 1:20 slope?



50

Rail Platform



Detectable warning surface along entire length of platform

51

Platform and Vehicle Floor Coordination



Must comply with the requirements in 36 CFR Part 1192

52

Platform and Vehicle Floor Coordination

- Platform 8" min above top of rail unless on street or from sidewalk



53

Rail Platforms

- In light rail, commuter rail, and intercity rail systems where it is not operationally or structurally feasible to meet the horizontal gap or vertical difference requirements of part 1192 or 49 CFR part 38



54

Bus Signs

- Route identification signs must comply with
 - 703.5.1 through 703.5.4
 - 703.5.7 and 703.5.8
 - 703.5.5 to the max extent practicable



55

Bus Signs

- Bus schedules, timetables and maps that are posted at the bus stop or bus bay are not required to comply with the bus sign requirements in 703



photo of a bus schedule on a sign pole at a bus stop

56


Recreation Facilities

57

Amusement Ride Companion Seat

Required Where:

- Amusement ride width > 53'
- Seating is provided for more than one rider
- Wheelchair is not required to be centered within the ride to maintain center of gravity



58

Golf Facility – Accessible Routes



- Teeing grounds
- Practice teeing grounds
- Putting greens
- Bag drop areas
- Course toilet rooms

59

Questions?

You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area

60

**Thank you for participating
in today's webinar**



**Next session:
September 6, 2018**

Federal Facilities & the ABA Accessibility Standards

www.accessibilityonline.org
(877) 232-1990 (v/TTY)

64
