

Welcome to the AccessibilityOnline Webinar Series



A collaborative program between the ADA National Network and the U.S. Access Board



The Session is Scheduled to begin at 2:30pm Eastern Time
We will be testing sound quality periodically

Audio and Visual are provided through the on-line webinar system. This session is closed captioned. Individuals may also listen via telephone by dialing 1-712-432-6297 code 510110# (This is not a Toll Free number)

The content and materials of this training are property of the US Access Board and the Great Lakes ADA Center and cannot be used and/or distributed without permission. This program is funded through a contract agreement with the U.S. Access Board. For permission to use training content or obtain copies of materials used as part of this program please contact us by email at adata@adagreatlakes.org or toll free (877)232-1990 (V/TTY)

www.AccessibilityOnline.org

1

Participating via the Webinar Platform



- The audio for today's webinar is being broadcast through your computer. Please make sure your speakers are turned on or your headphones are plugged in.
- You can control the audio broadcast via the Audio & Video panel. You can adjust the sound by "sliding" the sound bar left or right.
- If you are having sound quality problems check your audio controls by going through the Audio Wizard **which is accessed by selecting the microphone icon on the Audio & Video panel.**



2

Participating via a Mobile Device

- MOBILE Users (iPhone, iPad, or Android device and Kindle Fire HD)
 - Join** the session using the Blackboard Collaborate Mobile App (Available Free from the Apple Store, Google Play or Amazon)
- OR
- Join the session by opening the session link in a browser on your mobile device.



**The accessibility of the mobile app is limited for voice over users and no captioning is displayed.

3

Listening to the Audio via Telephone

If you do not have sound capabilities on your computer or prefer to listen by phone.

712-432-6297

**Pass Code:
510110#**

This is a Not a Toll Free number

4



Captioning



- Real-time captioning is provided during this webinar.
- The caption screen can be accessed by choosing the  icon in the Audio & Video panel. ↓



- Once selected you will have the option to resize the captioning window, change the font size and save the transcript.

5



Submitting Questions



- You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area
- If you are connected via a mobile device you may submit questions in the chat area within the App
- If you are listening by phone and not logged in to the webinar, you may ask questions by emailing them to webinars@accessibilityonline.org



Please note: This webinar is being recorded and can be accessed on the AccessibilityOnline website at www.accessibilityonline.org/Archives within 24 hours after the conclusion of the session.


6



Customize Your View



- Resize the Whiteboard where the Presentation slides are shown to make it smaller or larger by choosing from the drop down menu located above and to the left of the whiteboard. The default is “fit page”



7



Customize Your View *continued*



- Resize/Reposition the Chat, Participant and Audio & Video panels by “detaching” and using your mouse to reposition or “stretch/shrink”. Each panel may be detached using the  icon in the upper right corner of each panel.

8

Setting Preferences

- Depending on your system settings you may receive visual and audible notifications when individuals enter/leave the webinar room or when other actions are taken by participants. This can be distracting.
- To turn off notifications (audible/visual)
 - Select “Edit” from the tool bar at the top of your screen
 - From the drop down menu select “Preferences”
 - Scroll down to “General”
 - select “Audible Notifications” Uncheck anything you don’t want to receive and “apply”
 - Select “Visual Notifications” Uncheck anything you don’t want to receive and “apply”
 - For Screen Reader User – Set preferences through the setting options within the Activity Window (Ctrl+slash opens the activity window)

9



Technical Assistance



- If you experience any technical difficulties during the webinar:
 1. Send a private chat message to the host by double clicking "Great Lakes ADA" in the participant list. A tab titled "Great Lakes ADA" will appear in the chat panel. Type your comment in the text box and "enter" (Keyboard - F6, Arrow up or down to locate "Great Lakes ADA" and select to send a message); or
 2. Email webinars@accessibilityonline.org ; or
 3. Call 877-232-1990 (V/TTY)

10

Accessible Places of Education

11

Today's Presenters

U.S. Access Board



Juliet Shultz, P.E



Bill Botten

12

Session Agenda

- Standards
- Covered Facilities
- Site Arrival & Accessible Routes
- Classrooms & Common Use Areas
- Toilet & Bathing Facilities
- Recreation Facilities
- Questions

13

ADA Standards (2010)

Apply to:

- places of public accommodation
- commercial facilities
- state & local government facilities



In new construction, alterations,
and additions

14

Application

- All areas of newly designed and newly constructed buildings and facilities and altered portions of existing buildings and facilities. General exceptions:
 - Construction sites
 - Limited Access Spaces
 - Machinery Spaces
 - Employee Work Areas
 - Areas raised primarily for purposes of security

15

Covered Facilities



- Pre-Schools
- Elementary Schools
- Middle Schools
- High Schools
- Colleges and Universities
- Trade Schools

16


Scoping

- Parking
- Accessible routes
- Entrances
- Classrooms and Common Use Areas
- Toilet and Bathing rooms
- Dormitories & Graduate Housing
- Recreation Facilities

17

Site Arrival Points

Site arrival points include accessible parking spaces and accessible passenger loading zones, public transit stops located on sites, and public streets and sidewalks.




An accessible route must connect site arrival points to each accessible entrance they serve.

Accessible routes must coincide with, or be in the same vicinity as, general circulation paths (§206.3).

18

Accessible Parking

The required number of accessible spaces, including van spaces, is calculated separately for each parking lot and garage on a site. Accessible spaces must be dispersed among accessible entrances and be located on the shortest accessible route to the entrance they serve.



19

Accessible Parking Scoping

Table 208.2 Parking Spaces

| Total Number of Parking Spaces Provided in Parking Facility | Minimum Number of Required Accessible Parking Spaces |
|---|---|
| 1 to 25 | 1 |
| 26 to 50 | 2 |
| 51 to 75 | 3 |
| 76 to 100 | 4 |
| 101 to 150 | 5 |
| 151 to 200 | 6 |
| 201 to 300 | 7 |
| 301 to 400 | 8 |
| 401 to 500 | 9 |
| 501 to 1000 | 2 percent of total |
| 1001 and over | 20, plus 1 for each 100, or fraction thereof, over 1000 |

20


Passenger Loading Zones



At least 1 accessible passenger loading zone for every continuous 100 linear feet (or a fraction thereof) of passenger loading zone space.

21

Accessible Passenger Loading Zones




22

Accessible Routes

An accessible route must connect site arrival points such as accessible parking spaces, passenger loading zones, and transportation stops to each accessible facility they serve.

An accessible route within the boundary of the site must connect each facility on a site (except those connected only by a vehicular way that does not provide pedestrian access).



An accessible route must serve all accessible spaces and elements on a site, including those that are exterior, such as courtyards and drinking fountains.

An accessible route from public streets and sidewalks must connect directly or indirectly to all accessible facilities and elements on a site.


23

Accessible Route Location




24

Accessible Entrances



25

Elements of an Accessible Entrance



26


Two-Way Communication Systems



- **Communication devices must include both visual and audible signals**

27

Protrusion Limits



31

Protruding Objects



Alcove or wing wall removes the drinking fountain from the circulation path

32

Service & Sales Counters




- **Requirements:**
 - Surface 36" high max
 - Forward or side approach
 - Length based on approach
- **Applicable Areas**
 - Book store
 - Retail space
 - Library
 - Cafeteria
 - Stadiums/Arenas

33

Employee Work Areas

Access for “approach, entry and exit”

- Connecting accessible route to work area
- Compliant entrance, including entry doors or gates
- Clear floor space within the work area
- Means of Egress as required by the IBC



34

Signs (§216)

- Tactile/ visual – labels for permanent rooms & spaces, exit doors
- Visual only – directional or informational signs
- Exempt: temporary signs, building menus, directories, addresses, company names and logos



35

Visual Alarms

Visual alarms, where required, must be located in toilet and bathing facilities and all other public and common use spaces



36

Classrooms and Common Use Areas

37

Laboratories

- Work surfaces
- Operable parts
- Sinks
- Storage
- Accessible route



38

Classroom Acoustics

- ANSI/ASA S12.60 CLASSROOM ACOUSTICS STANDARD
 - Permanent Schools (Part I)
 - Relocatable Classrooms (Part II)



39

Assembly Areas



- Fixed seating
- Furniture
- Wheelchair locations
 - Companion seating
- Designated aisle seats
- Direct access to performance area
- Audible amplification




40

Assembly Areas

Horizontal Dispersion

Exception (300 seats max.) if:
Spaces & companion seats located in
the 2nd or 3rd quartile of row




41

Assembly Areas

Vertical Dispersion

- Exception (300 seats max.) if:
- Viewing angles = better than the average viewing angles in the assembly area
- Exception for bleachers



42

Cafeterias



- Tables on accessible routes
- Tray slide height – 28” min. and 34” max.
- Self-service shelves and dispensing devices
- Check-out counters
- 5% scoping at dining surfaces

43

Libraries

- Work surfaces
- Service counters
- Fixed seating
- Aisle widths



44

Housing

DOJ/ADA: Transient Lodging: §35.151(f) and §36.406(e)

Hotels, motels, **dormitories**; and

Housing at a place of education

Kitchens - fully accessible, turning space and work surfaces

Accessible route throughout the unit

DOJ/ADA: Residential Dwelling Units: §35.151(e) & §36.406(d)

Graduate student/faculty housing with no space for educational programming and leased year-round.



45

Housing at a Place Of Education



For sinks not permitted – transient lodging

Removable
Cabinetry under
Kitchen Sinks and
Work Surfaces



For work surfaces permitted – 804.3.1 Exception

46

Sinks and Lavatories

- **212.3 Sinks.** Where sinks are provided, at least 5 percent, but no fewer than one, of each type provided in each accessible room or space shall comply with 606.
- **EXCEPTION:** Mop or service sinks shall not be required to comply with 212.3.



Exceptions: A knee clearance of 24 inches min. shall be permitted at lavatories and sinks used primarily by children 6 through 12 years where the rim or counter surface is 31 inches max.

A parallel approach complying with 305 shall be permitted to lavatories and sinks used primarily by children 5 years and younger.

47

Children's Lavatories

Exceptions based on age of intended users

Ages 6 - 12:

24" high min. knee clearance allowed (if lav. 31" high max.)

Ages 5 and under:

Side approach permitted

48

Drinking Fountains (§602)

Where provided, drinking fountains must comply:

Both wheelchair access & standing access

At least 2 units or bowls

50% scoping for multiple units

Scoping applies separately by floor, secured area, exterior site

Water coolers, sinks, bottle fillers can't substitute for seated or standing access *where*

DF provided



49

Toilet Facilities

50

Toilet Rooms

- Where provided - all
- Single user - at least 50% of single user toilet rooms clustered at one location that serve the same users
- Portable units - 5% not less than 1 at each cluster

51

Toilet Rooms in classrooms


- Those *within* classrooms are required to be accessible.



52


Water Closet Clearance

Allows space for side transfers



53

Toilet Room




Door can swing into fixture clearances where unobstructed wheelchair space is available beyond

54

Toilet Stalls

Standard Stall


56" min. (wall hung WC)
59" min. (floor-mounted or children's WC)



55

Ambulatory Stall


Required where 6 or more stalls provided



56

Ambulatory Stall

- Parallel grab bars
- Doors: out-swinging, self-closing
- Width: 35" – 37"
- Depth: 60" min.



57

Children's Toilets

Advisory information provides guidance according to age group

| | Ages 3 & 4 | Ages 5 - 8 | Ages 9 - 12 |
|--------------------|------------|------------|-------------|
| WC Centerline | 12 in | 12 - 15 in | 15 - 18 in |
| Toilet Seat Height | 11 - 12 in | 12 - 15 in | 15 - 17 in |
| Grab Bar Height | 18 - 20 in | 20 - 25 in | 25 - 27 in |
| Dispenser Height | 14 in | 14 - 17 in | 17 - 19 in |



58

Bathing Facilities

59

Bathing facilities

Access to all public and common use facilities, including:

- Gym/ pool shower rooms
- Employee locker rooms

At least one shower or tub required

Options:

- Transfer shower stall
- Roll-in shower
- Tub

60

Transfer Shower



- Seat required
- ½" curb allowed
- Absolute stall dimensions
- Grab bars can be continuous or split

61

Roll-In Shower



- Folding seating can be provided (required for some transient lodging guest rooms)
- ½" beveled curb allowed
- Grab bars can be continuous or split

62

Recreation Facilities

63

Play Areas



- Connection to site arrival
- Ground accessible routes
Clear width = 60"
- Surface
- Elevated accessible routes
- Ground level play components
- Elevated play components

64

Longitudinal Study on Playground Surfaces

7 Things Every Playground Owner Should Know About the Accessibility of Their Playground Surfaces

Selecting an Accessible Play Surface Is One of the Most Important Decisions

The U.S. General Bureau's research indicates that 1.8 million children ages 5 and under are in need of accessible play equipment. The Bureau's new 2009 research report, "Selecting an Accessible Play Surface," provides information on how to select a play surface that meets the needs of children with and without disabilities. The research also provides information on how to select a play surface that meets the needs of children with and without disabilities. The report also provides information on how to select a play surface that meets the needs of children with and without disabilities.


When the playground has been installed on the site, it is important to pay attention to the surface. The surface should be smooth, level, and free of any holes or bumps. The surface should also be made of a material that is safe and durable. The surface should be made of a material that is safe and durable. The surface should be made of a material that is safe and durable.

Choosing the surface that is accessible and safe for all children is a critical decision. The surface should be made of a material that is safe and durable. The surface should be made of a material that is safe and durable. The surface should be made of a material that is safe and durable.

65

Area of Sport Activity

- Accessible route to each area of sport activity
- Exempt from firm, stable, and slip resistant surface



66

Sport Activity – Court Sports



- Accessible route to directly connect both sides of the court

67

Team player seating areas


- Platform lift permitted



68

Press Boxes

Square footage applies to the gross floor area (including exterior) of all press boxes serving a playing field or other assembly area





69

Exceptions: Press Boxes

Exempt if 500 sq ft or less (aggregate) and

- Located on bleachers entered on 1 level
- or elevated 12' or more (free standing)



70

Exercise Equipment

One of each type:

- No requirement to modify equipment
- Clear space at equipment
- Controls and operating mechanisms exempt



71


Dressing, Fitting, & Locker Rooms

Access to at least 5% of each type of use in each cluster



72

Benches



73

Swimming pools (§242.2)

- Required means of access into the water
 - Over 300 linear ft of pool wall = 2 (one primary)
 - Less than 300 linear ft of pool wall = 1
 - lift or sloped entry



74

Temporary Facilities (201.3)



75

Questions?

You may type and submit questions in the Chat Area Text Box or press Control-M and enter text in the Chat Area

76

Technical Guides on the Standards

Available the Board's website



77



U.S. Access Board

(800) 872-2253 (voice)

(800) 993-2822 (TTY)

E-mail: ta@access-board.gov

www.access-board.gov



Advancing Full Access and Inclusion for All

78



Continuing Education



AIA Provider Number: I017

Course Title: Accessible Education Facilities

AIA Course Number: GL20190801

Date: August 1, 2019

Credits earned on completion of this course will be reported to AIA CES for AIA members. Certificates of Completion are available upon request.

This course is registered with AIA, for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the professional organizations of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product.

79

Thank you for participating in today's webinar



Next session:

Evaluating Websites for Accessibility

September 5, 2019

www.accessibilityonline.org
(877) 232-1990 (v/TTY)

80
